

Appl. No. 09/833,349

Amdt. Dated Oct. 8, 2003

Reply to Office Action of July 8, 2003

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

C1
Claim 1 (withdrawn). A method of using a printing plate, which comprises, in a first step, setting an image on the printing plate in an imaging machine, while holding the printing plate firmly on a magnetic cylinder of the imaging machine during the imaging process, and in a second step, printing in a printing machine with the printing plate having the image set in this manner.

Claim 2 (withdrawn). The method according to claim 1, which includes, in the first step, attracting with the magnetic cylinder a magnetically attractable carrier layer of the printing plate, while setting the image on a printing layer applied to the carrier layer.

Claim 3 (withdrawn). The method according to claim 1, which includes, in the second step, while printing with the printing plate, firmly holding the printing plate on a magnetic cylinder in the printing machine.

Appl. No. 09/833,349

Amdt. Dated Oct. 8, 2003

Reply to Office Action of July 8, 2003

Claim 4 (withdrawn). The method according to claim 1, which includes providing a flexographic printing plate as the printing plate.

C1
(continued)

Claim 5 (currently amended). An imaging assembly, comprising a printing plate, and an imaging machine for setting an image on said printing plate, said printing plate formed of a magnetically attractable material, said imaging machine including a magnetic cylinder magnetically holding said printing plate firmly during the setting of an image thereon, said magnetic cylinder having at least one magnet for attracting said printing plate magnetically and being selected from the group consisting of permanent magnets and electromagnets, said magnetic cylinder having a register system aligning said printing plate, and said printing plate having substantially U-shaped register cut-outs cooperating with said register system.

Claim 6 (canceled).

Claim 7 (previously presented). The assembly according to claim 5, wherein said magnetic cylinder has at least one clamping device firmly clamping said printing plate.

imaging
assembly
5
6
7
8
9
10
11

Appl. No. 09/833,349

Amdt. Dated Oct. 8, 2003

Reply to Office Action of July 8, 2003

Claim 8 (previously presented). The assembly according to claim 5, wherein said magnet for said magnetic cylinder comprises at least one permanent magnet magnetically attracting said magnetically attractable printing plate.

C 1
(continued)
Claim 9 (previously presented). The assembly according to claim 5, wherein said imaging machine is a plate-exposing machine.

Claim 10 (previously presented). The assembly according to claim 5, wherein said imaging machine is a plate-developing machine.

Claim 11 (previously presented). The assembly according to claim 5, wherein said imaging machine is a plate-engraving machine.

Claim 12 (withdrawn). A printing machine having a magnetic cylinder for holding a printing plate, the magnetic cylinder comprising a register system for aligning the printing plate, and at least one clamping device for firmly clamping the printing plate.

Appl. No. 09/833,349

Amdt. Dated Oct. 8, 2003

Reply to Office Action of July 8, 2003

Claim 13 (withdrawn). The printing machine according to claim 12, wherein said register system comprises register pins for engaging in register cut-outs formed in the printing plate.

Claim 14 (withdrawn). The printing machine according to claim 13, wherein said register cut-outs are formed in a dimensionally stable carrier layer of the printing plate, and a printing layer is permanently joined to said carrier layer.

Claim 15 (withdrawn). The printing machine according to claim 12, wherein said clamping device has a clamping jaw for clamping one end of the printing plate.

Claim 16 (withdrawn). The printing machine according to claim 12, wherein said magnetic cylinder is formed with a circular circumferential line, and the printing plate held by the magnetic cylinder extends partly bent over under said circular circumferential line of said magnetic cylinder.

Claim 17 (withdrawn). A method of producing a flexographic printing plate, which comprises firmly joining to a carrier layer of the flexographic printing plate a printing layer having no image yet set thereon, and then setting an image on the printing layer.

Appl. No. 09/833,349

Amdt. Dated Oct. 8, 2003

Reply to Office Action of July 8, 2003

Claim 18 (withdrawn). The method according to claim 17, which includes, before joining the printing layer to the carrier layer, setting an image on a rear side of the printing layer, and curing it thereby and, after the printing layer has been joined to the carrier layer, setting an image on a front side of the printing layer.

C1
(continued)
Claim 19 (withdrawn). The method according to claim 17, which includes, while setting an image on the flexographic printing plate, firmly holding the plate on a rotating cylinder (for example magnetic cylinder 8).

Claim 20 (withdrawn). The method according to claim 19, which includes providing a magnetic cylinder as the rotating cylinder.

Claim 21 (withdrawn). The method according to claim 19, which includes providing the cylinder as a constituent part of an imaging machine provided for setting an image digitally on the flexographic printing plate.

Claim 22 (withdrawn). The method according to claim 17, which includes, before setting an image on the printing layer, forming register cut-outs in the carrier layer.

10-08-'03 11:31 FROM-Lerner & Greenberg

+9549251101

T-594 P07/13 U-253

Appl. No. 09/833,349

Amdt. Dated Oct. 8, 2003

Reply to Office Action of July 8, 2003

Claims 23-24 (canceled).

C1
(concluded)